



Controlled Access Pharmaceutical Dispensers

24/7 Controlled Access

True Inventory Visibility

Real Time Reporting

A unique solution to today's challenge of controlling access, tracking inventory and dispensing of products according to access protocol.



**Intelligent
Dispensing
Solutions**

A Witters Group Company

Your Solution to a Growing Problem



- **Do you know what your pharmacy inventory is today?**
- **How many people have access to your pharmacy?**
- **If you had an internal shortage problem would you know who accessed the pharmacy?**
- **Are controlled drugs available to techs without the proper level of training?**
- **Are your perishable items being used in a First In First Out manner?**
- **How do you audit your Pharmacy Supplies today?**

The Controlled Access Pharmacy or CAP allows EMS professionals the ability to restock their units 24/7. The CAP can check multiple forms of ID and will prompt for station or dispatch specific data. All withdrawals are cataloged, time stamped and regulated by tech clearance/training level.


The CAP aggregates all dispensing history and alerts for low stock position, expiring product and creates a pick list for restocking. It will generate individual call reports based on products restocked. This information can be printed or exported to your Accounts Payable/Receivable Software.

Revolutionary Inventory and Tracking System

The Controlled Access Pharmaceutical Dispenser uses the latest inventory and tracking technology for instant recording, reporting and tracking of EMS supplies.

- Authorized professionals can use existing identification methods and can include a combination of:
 - Pin number
 - Proximity card reader
 - Bar code ID scanner
 - Biometric (fingerprint) reader
 - Camera
- Dispensing data is available online 24/7 and accessible through a secure login
- Usage reports, re-stock lists, inventory position and many other management reports can be generated and printed online or can be exported to your desktop for manipulation or import into your billing/tracking software
- Access for restocking machine can be restricted by an electronic lock that requires ID to open machine
- Alerts can be sent to key personnel via email, pager etc. to warn of low stock positions, expiring product, loss of Internet connection, power loss and more
- The CAP can be configured to control the temperature in a zone to maintain a constant level if necessary
- VendNetwork supporting software enables the CAP to track the inventory in your stock room or in the EMS vehicles so that the complete chain of products can be tracked for reordering and expiration status

All Data is encrypted and sent via internet to secure VendNetwork server.



SALES BY ACCOUNT

Account Name	Sales	View
West Des Moines EMS	\$29.00	Details

SALES BY SITE

Site Name	Sales	View
Station 21	\$29.00	Details

SALES BY MACHINE

Machine	Sales	View
RX21A (WD)	\$29.00	Details

SALES BY BIN

Bin	Man. Item #	Man. Name	Item #	Description	Package Quantity	Number of Sales	Value of Sales
40	1010	Misc	1010	Albuterol	1	4	\$4.00
25	1040	Misc	1040	Atropine (1mg)	1	2	\$2.00
42	1050	Misc	1050	Atrovent	1	3	\$3.00
61	1060	Misc	1060	Benadryl	1	1	\$1.00
34	1110	Misc	1110	Dextrose	1	3	\$3.00
24	1134	Misc	1134	EPI 1:10,000 (1mg)	1	1	\$1.00
20	1150	Misc	1150	Glucagon	1	1	\$1.00
65	1160	Misc	1160	Glucose	1	1	\$1.00
63	1240	Misc	1240	Zofran	1	3	\$3.00
28	5010	Misc	5010	Etomidate	1	3	\$3.00
14	5200	Misc	5200	Fentanyl	1	5	\$5.00
13	5210	Misc	5210	Morphine	1	1	\$1.00
15	5400	Misc	5400	Diazepam	1	1	\$1.00
62	5420	Misc	5420	Versad	1	1	\$1.00
16	9004	Misc	9004	Reg Tags	1	15	\$0.00
36	9112	Misc	9112	Key-Sun	1	1	\$0.00
27	9999	Misc	9999	TEST PRODUCT	1	25	\$0.00

Aggregate dispensing usage by user defined time period.

Report Manage Machines Products View

PREFERENCES

ALERT PREFERENCES

- Alert on machines which have not reported usage for 1 days.
- Alert on machines that have not heartbeat in 1 Hour
- Limit Bin Low Alerts to 1 per machine between restocks.

GLOBAL PREFERENCES

I normally export data as a **Excel File**

PICKLIST PREFERENCE

Product Group	Round	Nearest	by	Restock Threshold (%)
Default Group	<input type="checkbox"/>	Round	by 12 Pack	100
Fluids	<input type="checkbox"/>	Round	by 12 Pack	100
Meds	<input type="checkbox"/>	Round	by 12 Pack	100
Unassigned	<input type="checkbox"/>	Round	by 12 Pack	100

Save Changes Cancel

Export data to PDF, Excel, CSV comma delimited files for imports to billing software or other uses.

Report Manage Machines Products View

REPORT: TRANSACTIONS

Account: West Des Moines EMS

Report By: Everything Type: Successful Consignment: All Sub Total

Start Date: 1/1/2007 End Date: 1/10/2007 Get Report Export Direct to XML

PAGE 1 OF 1

Date	Bin	Account	Site	Machine	Emp #	Item #	Description	Min. Item #	Man. Name	Call Number	Department	Package Qty	Price per Item	Total Price
1/10/2007 10:21:28 AM	63	West Des Moines EMS	Station 21	RX21A-WD	126198	126198	Zofran	1240	Misc	0700711	1234	1	\$1.00	\$1.00
1/9/2007 6:02:03 PM	16	West Des Moines EMS	Station 21	RX21A-WD	126198	9004	Reg Tags	9004	Misc	0700711	1234	1	\$0.00	\$0.00
1/9/2007 6:01:55 PM	13	West Des Moines EMS	Station 21	RX21A-WD	126198	5210	Morphine	5210	Misc	0700711	1234	1	\$1.00	\$1.00
1/9/2007 3:31:31 PM	15	West Des Moines EMS	Station 21	RX21A-WD	126158	5400	Diazepam	5400	Misc	0700681	1234	1	\$1.00	\$1.00

Transaction level data with employee and prompt for call number and department.

Report Manage Machines Products View

MACHINES: ADJUST INVENTORY LEVELS

West Des Moines EMS - Station 21 - RX21A - WD

Bin	Mon. Item #	Man. Name	Item #	Description	Package Qty.	Non-Critical	Critical	Min	Max	Coil Depth	Current
10	1132	Misc	1132	EPI 1:1,000 (30mg)	1	0	0	0	10	10	6
11	1030	Misc	1030	Aspirin	1	0	0	0	10	10	5
12	1214	Misc	1214	Nitro Spray	1	0	0	0	10	10	1
13	5210	Misc	5210	Morphine	1	0	0	0	18	18	17
14	5200	Misc	5200	Fentanyl	1	0	0	0	18	18	13
15	5400	Misc	5400	Diazepam	1	0	0	0	18	18	12
16	9004	Misc	9004	Reg Tags	1	0	0	0	18	18	3
17	9002	Misc	9002	Prescription	1	0	0	0	18	18	5
20	1150	Misc	1150	Glucagon	1	0	0	0	15	15	0

Easy to maintain machine inventory Par levels & products.

WE MAKE SURE OUR CUSTOMERS ARE SATISFIED



We can now audit our usage and remotely poll stations in order to determine restocking needs! We are in compliance with the DEA regulations regarding narcotics and can pinpoint the location of all supplies from the pharmacy storeroom to the truck."

*Rob Dehnert - NREMT-P Specialist
West Des Moines EMS, West Des Moines, IA*

We will pay for the machine in 2 1/2 years just based off of direct drug costs alone. That doesn't take into account man-hours spent doing inventory.

*Shawn Treloar - EMS Battalion Chief
Sanford Fire Department, Sanford, FL*

U-Select-It (IDS) equipment and technology stands behind many industry dispensing and inventory accounting solutions.



UNMATCHED RELIABILITY AND DURABILITY

Built in the USA, U-Select-It equipment incorporates over three quarters of a century worth of dispensing technology in a rugged and dependable enclosure.

Every USI product is engineered for easy maintenance and high reliability. From the raw materials to final product, the commitment to quality sets the tone for the entire manufacturing effort.

Using the latest techniques including state-of-the-art computer controlled machinery and the highest construction standards, parts are stamped and formed, refined and assembled. Then every machine is checked and rechecked for optimum performance levels before entering service.



Manufactured in the Heartland, Des Moines Iowa.



From raw materials, through assembly and final quality checks, CAP dispensing equipment is prepared for a long life of dependable service.



ENGINEERED FOR QUALITY

From the start USI equipment is designed by quality team members using state-of-the-art computer aided design systems.



EXTENSIVE RESEARCH

Extensive research and development makes our equipment some of the most reliable in the marketplace.



For more information on Intelligent Dispensing Solutions call us at:

**1-877-771-4446
or 1-888-795-8363**

8040 University Boulevard, Des Moines, Iowa 50325
Fax: 515-274-0390 • www.ucapit.com

EMS 5 Features

DURABLE SHELVES

Configurable to almost any package size in the field with no need for tools
Full selection (5-3/4"W)
3/4 selection (4-5/16"W)
Single selection (2-7/8"W)



HIGH SECURITY LOCK WITH OPTIONAL ELECTRONIC OPERATION

Allows restricted access for restocking and service via individually coded keys.

EXTRA LARGE DELIVERY PORT

Even large packages are accessible through the extra large delivery port.

DURABLE CABINET AND DOOR CONSTRUCTION

Uniquely designed and constructed from 20 gauge steel, UCaptl Dispensers feature fully welded seams and internal bracing for long term reliable service.

INTELLIGENT CONTROL SYSTEM

State-of-the-art control system allows secure web based interface for 24/7 real-time reporting of transactions.

ELECTRONIC DISPLAY

Communicates all dispensing and programming data to technicians and managers.

STANDARD SECONDARY PORT

For static instruction or secondary input modules.

MULTIPLE INTERFACES AVAILABLE

- Pin number
- Proximity card reader
- Bar code ID scanner
- Biometric (fingerprint) reader
- More!



RETURN PORT

For reusing dispensing bags or accepting expired product.



Locker Features

12 DOOR LOCKER

OPTIONAL ADJUSTABLE BACK PANELS

Size to fit each compartment for varying product depths.

OPTIONAL LED LIGHTING

High visibility and high efficiency LED lighting option for dimly lighted locations.

OPTIONAL RECHARGING ADAPTERS

Charge and check out radios and other powered equipment.



3 DOOR LOCKER

IDEAL FOR SINGLE-ITEM DISPENSING AND ASSET MANAGEMENT

Handles large or bulky items that need to be checked out and checked back in.





EMS 5	
Selections	40 Standard; Configurable up to 64 Items
Standard Configuration	630 Items , Capacity varies with tray configurations.
Communication	Web based
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS
Dimensions	Height 72" (183 cm) Width 41" (104 cm) Depth 34-1/8" (87 cm)
Shipping Weight	628 lbs.
Standard Features	Bar Code or Mag Stripe Reader; iVend® Delivery Sensor System; Parrot Door (Enable reuse of protective bags); Fluorescent Lighting; Americans with Disabilities Act Compliant
Colors	Black, Blue or Red (Custom colors available at extra charge)
Options	Optional Point of Interface (Prox, RFID, Card Reader, Mag Stripe, Biometric, Bar Code); Camera Electronic Lock; High Security Package; Temperature Controlled Model (Inquire for Specs.); Thermostat; LED Lighting; Personalized logo on your web reporting site



EMS 3	
Selections	23 Standard; Configurable up to 30 Items
Standard Configuration	384 Items , Capacity varies with tray configurations.
Communication	Web based
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS
Dimensions	Height 72" (183 cm) Width 29-5/16" (74 cm) Depth 34-1/8" (87 cm)
Shipping Weight	445 lbs.
Standard Features	Bar Code or Mag Stripe Reader; iVend® Delivery Sensor System; Parrot Door (Enable reuse of protective bags); Fluorescent Lighting; Americans with Disabilities Act Compliant
Colors	Black, Blue or Red (Custom colors available at extra charge)
Options	Optional Point of Interface (Prox, RFID, Card Reader, Mag Stripe, Biometric, Bar Code); Camera Electronic Lock; High Security Package; Temperature Controlled Model (Inquire for Specs.); Thermostat; LED Lighting; Personalized logo on your web reporting site



EMS 12 Door Locker	
Compartments	12 individual
Compartments Sizes	(12) 15" x 12"
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.0 AMPS International: 230 VAC/50Hz, 0.5 AMPS
Dimensions	Height 72" (183 cm) Width 30-1/4" (76 cm) Depth 24-1/2" (62 cm)
Shipping Weight	357 lbs.
Standard Features	EMS 5 or EMS3 connection
Colors	Black, Blue or Red (Custom colors available at extra charge)
Options	Adjustable Back Panels; LED Lighting, Custom Colors



EMS 3 Door Locker	
Compartments	3
Compartments Sizes	(1) 15" x 72", (2) 15" x 36"
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.0 AMPS International: 230 VAC/50Hz, 0.5 AMPS
Dimensions	Height 72" (183 cm) Width 30-1/4" (76 cm) Depth 24-1/2" (62 cm)
Shipping Weight	375 lbs.
Standard Features	EMS 5 or EMS3 connection
Colors	Black, Blue or Red (Custom colors available at extra charge)
Options	Adjustable Back Panels; LED Lighting, Custom Colors

Optional Colors (Plus custom colors available at extra charge)

